



BENCH MARK

CITY B.M. - 3 FT W NORTH END CMKD HEADWALL. W'LY SIDE OF OLIVEWOOD @ ELMWOOD CT. ELEV. CITY DATUM 10.430

Elev. 837.41

REVISIONS		
MARK	DATE	DESCRIPTION
1	8-6-62	Revised plan & typical sections to show curb, sidewalk, Riv. City Std. 220

DESIGNED BY

DRAWN BY

CHECKED BY D.R.E. A.D.D. WHB

RECOMMENDED BY R.R. Thrall ASSISTANT CITY ENGINEER

J. F. DAVIDSON-CIVIL ENGINEER
R.E. NO. 862
RIVERSIDE, CALIFORNIA
APPROVED BY J. Standing DATE 2-21-62

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

STREET PLAN & PROFILE

PANORAMA ROAD

R.S. 644

HORIZ. SCALE 1"=40' VERT. SCALE 1"=4'

APPROVED BY Director of Public Works

DATE 3/30/62

NO. R-581

SHEET 2 OF 2

2182



Station	Elev. SWly Curb	% Super	Super	Elev NEly Curb
10+00	82.16			82.58
+25	82.35			82.80
+50	82.54	1.8	0.58	83.12
+75	82.73	2.6	0.83	83.56
11+00	82.92	3.5	1.12	84.04
+25	83.11	4.3	1.38	84.49
+50	83.39	5.2	1.66	85.05
+75	83.85	5.7	1.82	85.67
12+00	84.49	6.0	1.92	86.41
+25	85.30	5.7	1.82	87.12
+50	86.30	4.8	1.54	87.84
+75	87.47	3.6	1.15	88.62
13+00	88.73	2.1	1.03	89.76
+11.56	89.32	3.0	1.00	90.32

BENCH MARK

CITY B.M. - S.&T. IN NORTH END CANAL HEADWALL. W'LY. SIDE OF OLIVEWOOD @ ELMWOOD CT. RIV. CITY PLAN R-430. ELEV. 871.41



CURVE DATA

① R = 150'
Δ = 76°03'40"
T = 117.32'
L = 199.13

② R = 160.00'
Δ = 76°03'40"
T = 125.14'
L = 212.40'

℄ ③ R = 174.09'
Δ = 76°03'40"
T = 136.16'
L = 231.11

④ R = 193.49'
Δ = 76°03'40"
T = 151.34'
L = 256.86'



GENERAL NOTES

1. All Construction shall be in accordance with Standards and Specifications No. 461 of the City of Riverside Department of Public Works.

2. It shall be the responsibity of the Contractor to clear the Right of Way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances, and at no extra cost to the City of Riverside.

3. If the Subdivider desires to reduce requirement on import base material additional soil tests may be taken at the subdivider's expense after streets are prepared to rough grade. Subdivider will contact inspection division, City of Riverside before making test. The City of Riverside will make a test of base material in place before paving can be installed. Results of this test must indicate that the base material is satisfactory to the inspection division.

4. Prime coat and paint binder required

REVISIONS		
MARK	DATE	DESCRIPTION
△	8-6-62	Revised plan & Typical Sections to show curb Sidewalk, Riv. City Std. 325 wdg A.H.J.

DESIGNED BY
DRAWN BY
CHECKED BY D.R.S. A.D.D. wdg
RECOMMENDED BY [signature] ASSISTANT CITY ENGINEER

AB 758/40-57

J. F. DAVIDSON-CIVIL ENGINEER
R.E. NO. 862
RIVERSIDE, CALIFORNIA
APPROVED BY [signature] DATE 2-21-62

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

STREET PLAN & PROFILE

PANORAMA ROAD

R.S. # 644

HORIZ. SCALE 1"=40' VERT. SCALE 1"=4'

APPROVED BY [signature] Director of Public Works
DATE 3/20/62

NO. R 581

SHEET 1 OF 2

2182