



# ENCROACHMENT PERMIT

## General Permit

City of Riverside - Public Works Dept.

909-826-5341

Issuance of this permit shall not be construed as a waiver of any other applicable permit or requirement, and is only revocable permission to use the land for the purpose described.

Owner: GHG RIVERWALK

Location:

A.P.N.: 142-530-041

Encroachment: Construct a Loggia within Riverwalk Pkwy R/W

The above-described encroachment being shown on Exhibit A attached hereto.

Upon issuance of this permit, I agree to comply with the attached terms and conditions.

Date: 9/4/2003

By: Robert M. Stewart ENGINEERING & PLANNING  
MANAGER, GRIFFIN INDUSTRIES, INC.  
By: \_\_\_\_\_

### Applicant

GHG RIVERWALK  
24005 VENTURA BLV  
CALABASAS CA

91302-0000

909-509-8622

### Contractor/Developer

GRIFFIN INDUSTRIES  
24005 VENTURA BLVD  
CALABASAS CA

91302

(818) 591-2500

### ENCROACHMENT PERMIT APPROVAL

This permit has been reviewed and approved by the Departments listed below, provided the attached terms and conditions are adhered to:

- P/W ENGINEERING
- P/W TRAFFIC
- P/U WATER
- P/U ELECTRIC
- PLANNING

### FINAL APPROVAL

Date: 8/27/03

[Signature]  
Public Works Director

THIS PERMIT IS NOT VALID UNTIL ISSUED AND POSTED IN CITY RECORDS

Issued By: [Signature]

Dated: 9/4/03




# City of Riverside

The following are requirements that need to be met for your permit #PW03-0196 .


- 1: Permittee acknowledges that the area of encroachment is owned or controlled by the City of Riverside.
- 2: Permittee acknowledges that the described property could be needed for a proposed or planned public improvement and the City may revoke this permit. Upon written notice of revocation, the permittee shall, within the time prescribed by the City, remove all improvements placed, constructed or maintained. If the permittee fails to abide by the removal order of the City, the City shall have the right to remove and destroy the improvements without reimbursement to the permittee. The cost of such removal shall be paid by the permittee to the City and shall constitute a debt owed to the City.
- 3: Permittee waives the right of claim, loss, damage or action against the City resulting from revocation, termination, removal of improvements or any action of the City, its officers, agents or employees taken in accordance with the terms herein.
- 4: If the Public Works Director of the City of Riverside finds that the permittee is in default of the terms of this permit, that shall be cause for revocation.
- 5: Permittee herewith agrees to hold the City of Riverside harmless from and against all claims demands, costs, losses, damages, injuries, actions for damages and/or injuries, and liability in connection with the construction, encroachment, and/or maintenance to be done by permittee within the described property.
- 6: Prior to any construction taking place on City controlled property, permittee shall obtain a Construction Permit or Street Opening Permit from the City Public Works Department.
- 7: The permittee agrees to insure that construction of their improvements will not interfere in any way with any existing City or utility facilities.
- 8: Permittee acknowledges that existing city or utility facilities will require future maintenance, reconstruction, and revisions and that facilities may be added, any of which may result in removal or alteration of the permittee's improvements without reimbursement to the permittee.
- 9: Prior to construction, permittee shall contact Underground Service Alert to field locate existing utility lines. Any conflicts discovered will void the permit until acceptable revisions are made. It shall be Permittee's responsibility to determine the location and required clearances from all public and private utility, sewer and drainage facilities prior to drilling and shall only drill in compliance with such clearance requirements.







# LOGIA ENERDACHMENT





**Legend**

1. Cupola and weathervane. See construction legend for specifications. At cupola and roof interface, provide caulked joint.
2. Overhead structure. Copper Sheet Roof. See construction legend for specifications.
3. 6 x 6 Post
4. 6 x 10 Beam. Detail end of beam as shown.
5. 6x10 Plant on. Detail end as shown.
6. 4 x 4 Cross member. Pencil point end. Inset member 1" into beam.
7. 2 x 6 Lattice. Provide blocking. Splice at columns. Notch 1 1/4" into cross member.
8. PIP Concrete cap. See sheet CD-7, Detail A, Cap 1.
9. Low wall. Ledgerstone veneer. refer to detail B, sheet CD-7.
10. Adjacent sidewalk.
11. Adjacent planting.
12. Bridge column per engineer. See sheet SD-5, detail F.
13. Railing. See Sheet CD-7, Detail A, and D
14. Finish Grade.
15. Water level.
16. 4x6 Raftler.
17. 6x10 Beam w/ 1" chamfer end.
18. 8" Wide arched concrete fascia. Face of Arch to be 2" from face of wall.
19. 45° chamfered end. See elevation A, detail D, sheet CD-8 for enlargement.
20. Curb. Per Cnty Engineering Street Improvement Plans.

**NOTES:**

- All wood to be resawn Douglas Fir.  
 All wood to be stained. Per Landscape Architect's direction.  
 Countersink, plug or putty all screws, bolts and nails.  
 All hardware shall be galvanized.
- Refer to Structural Engineer's Plans, detail F, sheet SD-5,  
 for all post and beam connections, footings and reinforcement applications.
- Refer to Construction Legend, sheet CL-1, for all types, colors, finishes and  
 manufacturer applications.