RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT



CITY OF RIVERSIDE

VICINITY MAP
NO SCALE

GENERAL NOTES

1. ELEVATIONS SHOWN ARE IN FEET ABOVE THE USGS MEAN SEA LEVEL DATUM.
2. DIMENSIONS FOR LOCATING CATCH BASINS ARE MEASURED FROM CURB RETURN TO CENTERLINE OF BASIN, UNLESS SHOWN OTHERWISE.
3. LOCATIONS OF CATCH BASIN CONNECTOR PIPE JUNCTIONS WITH CATCH BASINS AS SHOWN ON THE DRAWINGS ARE SCHEMATIC. IT IS INTENDED THAT SUCH JUNCTIONS BE LOCATED AT THE DOWNSTREAM END OF THE BASINS UNLESS SHOWN OTHERWISE. IN ALL CASES, THE EXACT LOCATIONS WILL BE DETERMINED IN THE FIELD BY THE ENGINEER.
4. LOCATIONS SHOWN ON THE PLANS FOR EXISTING SANITARY SEWER HOUSE CONNECTIONS ARE APPROXIMATE ONLY.
5. ALL OPENINGS RESULTING FROM CUTTING OR PARTIAL REMOVAL OF EXISTING CULVERTS, PIPES OR SIMILAR STRUCTURES SHALL BE SEALED WITH 6 INCHES OF CLASS "B" CONCRETE, NOTED ON THE DRAWINGS AS "PLUG".
6. ALL CURBS, GUTTERS, SIDEWALKS, DRIVEWAYS AND OTHER IMPROVEMENTS SHALL BE RECONSTRUCTED TO THEIR ORIGINAL GRADE, ELEVATION AND LOCATION UNLESS NOTED OTHERWISE.
7. SOIL TEST BORINGS FOR THIS PROJECT WERE MADE IN JULY, 1973.
8. PIPE CONNECTIONS TO MAINLINE PIPE SHALL CONFORM TO STANDARD DRAWING JS 229, J.S. NO.4, UNLESS OTHERWISE NOTED.
9. WHERE REQUIRED, CONCRETE PIPE COLLARS ARE SHOWN ON THE APPROPRIATE PROFILE.
10. PAVEMENT REPLACEMENT SHALL BE 3" OF ASPHALTIC CONCRETE ON 6" OF CLASS III BASE.
11. CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.

INDEX

	SHEET NO.
TITLE SHEET	1
MAIN LINE PLAN AND PROFILE	
LINE E	2-17
LINE F	18-26
CONNECTOR PIPE PROFILES	27-30
MISCELLANEOUS DETAILS	31
RETENTION BASIN	31A
TRAFFIC PLANS	32-41

R.C.F.C.W.C.D. STANDARD DWGS.

CB 100	CATCH BASIN NO.1	42
CB 101	CATCH BASIN NO.4	43-44
CB 103	MANHOLE FRAME & COVER FOR CATCH BASINS	45
CB 104	CATCH BASIN GRATE	46
CB 105	DETAILS OF CATCH BASIN OPENING	47
CB 106	CATCH BASIN REINFORCEMENT	48
CB 107	INLET TYPE IX	49
CB 110	CONCRETE DROP INLET	50
LD 201	LOCAL DEPRESSION NO.2	51
LD 202	LOCAL DEPRESSION NO.3	52
JS 227	JUNCTION STRUCTURE NO.2	53-54
JS 229	JUNCTION STRUCTURE NO.4	55
MH 252	MANHOLE NO.2	56
MH 254	MANHOLE NO.4	57-58
MH 255	MANHOLE FRAME & COVER NON-ROCKING	59
MH 257	MANHOLE SHAFT FOR CAST PIPE	60
MH 259	STANDARD DROP STEP	61
M 803	CONCRETE COLLAR FOR PIPE 12 INCHES THROUGH 66 INCHES	62
M 814	ABBREVIATIONS AND SYMBOLS	63
M 815	BEDDING AND PAY LINES	64



LOCATION MAP

0 300' 600' 1200

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY:
DRAWN BY:
DATE DRAWN:
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
TITLE SHEET
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX MF

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 1 OF 64

AS BUILT

D-319





CONNECTOR PIPE PROFILE

5' 0 5'

STA. 244+12

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.



℄ CURVE DATA
Δ = 57° 30' 00"
R = 45'
T = 24.69'
L = 45.16'
B.C. = 242+94.78
E.C. = 243+39.94

PLAN

20' 0 20'



③ REMOVE TIMBER BULKHEAD.

SECTION AT STA. 244+40

10' 0 10'



TIE DETAIL
NO SCALE

BENCH MARK C.P.I - ELEV. 937.268
NAIL AND TIN AT INTERSECTION OF PENNSYLVANIA AND KANSAS.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
C1	Change Sta & Slope, GR.	[illegible]	[illegible]
REF.	DESCRIPTION	APPR.	DATE

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: [illegible]
DRAWN BY: W.J.
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:
[signature]
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

LINE E

BOX SPRINGS DRAIN
STAGE IV
STA. 242+72.50 TO STA. 245+20
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX NE

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 2 OF 64

AS BUILT

D-319



HYDRAULIC DATA.
Q = 300 cfs
V = 15.28 fps

PROFILE

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.



Note: W10 Found to be in the way for construction 60" RCP. Built on ℄ of Pennsylvania Ave.

C2

SECTION AT STA. 247+20

10 0 10



PLAN

20' 0 20'

1. SEE TIE DETAIL SH. 2

LINE E

BENCH MARK C.P. 2-ELEV. 941.752 NAIL AND TIN AT INTERSECTION OF PENNSYLVANIA AND MICHAEL.	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
SCALE:	APPROVED BY:		DESIGNED BY: AAE / APPROVED BY:
DATE:	DATE: SEP 14 1976 REGISTERED CIVIL ENGINEER NO. 10776	C2 REF. RCP Realignment As Shown DESCRIPTION APPR. DATE	DRAWN BY: JCD / CHIEF ENGINEER R.E. NO. 8822
			DATE DRAWN: 10-13 / DATE: 5-11-16
			CHECKED BY:

BOX SPRINGS DRAIN
STAGE IV
STA. 245+20 TO STA. 248+30
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 3 OF 64

AS BUILT

D-319





PLAN

20' 0 20'

SECTION AT STA. 252+30

10' 0 10'

NOTE: SEE CONNECTOR PIPE PROFILES ON SHEET 27

LINE E

INDEX 6F

BENCH MARK C.P. 3-ELEV. 944.618
NAIL AND TIN AT INTERSECTION OF PENNSYLVANIA AND ANGELO.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: 9-15-1975

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS

REF.	DESCRIPTION	APPR.	DATE
C2	Change in Alignment As Shown	WJDM	10-7-75

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: AHL
DRAWN BY:
DATE DRAWN: (10-7)
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 248+30 TO STA. 252+65
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0.220
DRAWING NO. 1-327
SHEET NO. 4 OF 64

D-319



HYDRAULIC DATA
Q = 300 cfs
V = 15.28 fps

PROFILE

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.





PLAN

20' 0 20'

SECTION AT STA. 254+70

10' 0 10'

1. SEE TIE DETAIL SH. 2.

LINE E

BENCH MARK C.P.5-ELEV. 951.615 NAIL AND TIN AT INTERSECTION OF PENNSYLVANIA AND DWIGHT.	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	BOX SPRINGS DRAIN STAGE IV STA. 252+65 TO STA. 256+40 1970 STORM DRAIN BOND ISSUE PROJECT NO. 6	PROJECT NO. 1-0-220
SCALE:	APPROVED BY:	C2 Built as shown	DESIGNED BY:		DRAWING NO. 1-327
DATE:	DATE: 5-14-1976 REGISTERED CIVIL ENGINEER NO. 10776	REF. DESCRIPTION APPR. DATE	DRAWN: W.J. DATE DRAWN: 10-73	APPROVED BY: John W. Bryant CHIEF ENGINEER R.E.NO. 8822 DATE: 5-11-76	SHEET NO. 5 OF 64
			CHECKED BY:		

AS BUILT

D-319





NOTE: SEE CONNECTOR PIPE PROFILES ON SHEET 27

PLAN

20' 0 20'



SECTION AT STA. 258+30

10' 0 10'



DETAIL A

10' 0 10'

LINE E

BENCH MARK C.P.6-ELEV. 955.243 2" IRON PIPE IN CAPPED WELL AT INTERSECTION OF PENNSYLVANIA AND OTTAWA DOWN .60.	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
SCALE:	APPROVED BY:	DESIGNED BY: HAE
DATE:	DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776	DRAWN BY: epm.
	REVISIONS: C3 C.B. No1 Relocated as shown; C2 Relignment as shown	DATE DRAWN: 10-73
	REF. DESCRIPTION APPR DATE	CHECKED BY:
		APPROVED BY: John W. Bayard CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 256+40 TO STA 260+80
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 4F

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 6 OF 64

AS BUILT

D-319









PLAN

20' 0 20'

LINE E

INDEX 6

BENCH MARK C.P. 8-ELEV. 962.567
NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 575 FT. EAST OF OTTAWA.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: 1-10-73

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS

REF.	DESCRIPTION	APPR.	DATE
C2	Relignment As shown		

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: DAE
DRAWN BY: W.J.
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER-R.E. NO. 8822
DATE: 6-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 260+80 TO STA. 265+40
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 7 OF 64

D-319



PROFILE

HYDRAULIC DATA
Q = 300 cfs
V = 11.55 fps

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.





SECTION AT STA. 267+10
10' 0 10'

1. SEE TIE DETAIL SH. 2.
(2) REMOVE & REPLACE TRAFFIC LOOP DETECTOR.

PLAN
20' 0 20'

BENCH MARK C.P. 10-ELEV. 970.138
NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 1175 FT. EAST OF OTTAWA.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY: Robert H. Koebig
DATE: FEB 1 1 1974
REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
C2	S.D. Relignment as shown		

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: A.D.E.
DRAWN BY: W.N.
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY: John W. Bryant
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 265+40 TO STA. 269+35
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

LINE E

INDEX 4F

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 8 OF 64

D-319





CONNECTOR PIPE PROFILE
STA. 270+50

5' 0 5'

NOTE CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.



① C.B. NO. 1
W = 7'
V = 4'
79'-18" RCP
CLASS IV

℄ CURVE DATA (A)
Δ = 15° 6' 26"
R = 300'
T = 39.78'
L = 79.10'
B.C. = 271+39.00
P.R.C. = 272+09.10

④ C.B. NO. 1
W = 14'
V = 4'-6"
36'-18" RCP
CLASS IV
C.B. OPENING = 10"
SEE DETAIL "A" THIS SHEET

12° 55' 36"
350'
39.65'
78.97 C4
+29.80
+08.76

⑤ REMOVE & REPLACE INTERFERING PORTIONS OF ASPHALT CONCRETE BERM. SEE DETAIL ON SH. 31.

⑦ RELOCATE APPROX. 150 FEET OF EXISTING FENCE AS SHOWN, MAINTAIN SECURITY.

⑧ CONSTRUCT ASPHALT CONCRETE PAVING, MIN. 3" THICK AND ASPHALT CONC. BERMS.

② DISCONNECT SIG. CONDUIT AND CONDUCTORS AT PULLBOX. ~~UTILIZE SLACK IN CONDUCTORS, AND ADD SUFFICIENT LENGTH OF CONDUIT TO RELOCATE~~ AROUND CATCH BASIN.

③ REMOVE INTERFERING PORTIONS EXISTING 18" PIPE AND REPLACE WITH 18'-18" RCP CLASS IV ON NEW GRADE. SEE PROFILE ON THIS SHEET.

PLAN

20' 0 20'

⑤ C.B. NO. 1
W = 7'
V = 4'-6"
26'-18" RCP
CLASS IV
C.B. OPENING = 10" C4

℄ CURVE DATA (B)
Δ = ~~15° 6' 26"~~
R = ~~300'~~
T = ~~39.78'~~
L = ~~79.10'~~
P.R.C. = ~~272+08.10~~
E.C. = 272+88.20 AHEAD
STA. EQUATION 272+87.72 BACK

971.78
FL. 97.172
T.C. 972.22
C.B. NO. 1
FL. 972.04
T.C. 972.54
972.10
DETAIL "A"

NOTE: SEE CONNECTOR PIPE PROFILES ON SHEET 28.



SECTION AT STA. 271+70

10' 0 10'



TIE DETAIL
NO SCALE

LINE E

BENCH MARK C.P. 11 ELEV. 970.024 BRASS CAP IN WELL MONUMENT AT INTERSECTION OF PENNSYLVANIA AND CHICAGO DOWN 1.2.	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	BOX SPRINGS DRAIN STAGE IV STA. 269+35 TO STA. 273+65 1970 STORM DRAIN BOND ISSUE PROJECT NO. 6	PROJECT NO. 1-0-220
SCALE:	APPROVED BY:	C5 Change Connector Pipe	DESIGNED BY: ALC		DRAWING NO. 1-327
DATE:	DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776	C4 Sta. & Curve Data (A)-(B) Changed	DRAWN BY: JCD	APPROVED BY: CHIEF ENGINEER R.E. NO. 8822	SHEET NO. 9 OF 64
		C2 S.D. Relignment, Change.	DATE DRAWN: 10-73	DATE: 5-11-76	
		R.E.F. DESCRIPTION APPR DATE	CHECKED BY:		

AS BUILT

INDEX MAP

D-319



① C.B. NO. 1
W = 14'
V = 4'-6"
40'-18" R.C.P.
CLASS IV
SEE CONNECTOR PIPE PROFILE ON SHEET 29
C.B. OPENING = 10"

② C.B. NO. 1
W = 7'
V = 4'-6"
13'-18" R.C.P.
CLASS IV
SEE CONNECTOR PIPE PROFILE ON THIS SHEET
C.B. OPENING = 10"

③ REMOVE & REPLACE TRAFFIC LOOP DETECTOR.

④ REMOVE & REPLACE INTERFERING PORTIONS OF ASPHALT CONCRETE BERM. SEE DETAIL ON SH. 31

5. SEE TIE DETAIL SH. 9.



SECTION AT STA. 277+12

10' 0 10'



PLAN

20' 0 20'

LINE E

INDEX MF

BENCH MARK C.P. 13-ELEV. 976.936
NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 559 FT. E OF CHICAGO.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS				
REF.	DESCRIPTION	APPR.	DATE	W.O.N.
.Cc	Sta. & EL. Change			

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: MLE
DRAWN BY: W.L.
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:

CHIEF ENGINEER R.E. NO. 8822

DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 273+65 TO STA. 277+90
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 10 OF 64

D-319





BENCH MARK C.P. 14-ELEV. 979.889
NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 859 FT. EAST OF CHICAGO.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
	No Change		

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: AJE
DRAWN BY: CPM
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R/E NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 277+90 TO STA. 282+10
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX OF

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 11 OF 64

D-319





CONNECTOR PIPE PROFILE
STA. 283+60

5' 0 5'

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED

℄ CURVE DATA
Δ=32° 29' 58"
R=90'
T=26.23'
L=51.05'
B.C. 282+13.21 (LINE E)
E.C. 310+18 (LINE F)

℄ LINE 'F' SEE SHEET 18

MANHOLE NO. 4
STA. 310+00 (LINE F)
SEE SHEET 18

STA. 282+46.26 LINE E =
STA. 310+00 LINE F

B.C. P.I. 4 E.C.

PENNSYLVANIA AVE.

McKINLEY AVE. (VACATED)

C.P. 16
STA. 283+10.10

T.C. 984.49
T.C. 984.63
T.C. 985.20
T.C. 984.93

C.B. STA. 283+62
C.B. STA. 283+75

G12 H.P.

M.H. NO. 2
STA. 285+90

PENNSYLVANIA AVE.

MATCH LINE SHEET 11
MATCH LINE SHEET 13
STA. 282+10
STA. 286+30

(2) C.B. NO. 1
W=7'
V=4'-0"
C.B. OPENING = 10"
9'-18" RCP
CLASS IV
SEE CONNECTOR PIPE PROFILE ON THIS SHEET

(1) C.B. NO. 1
W=21'
V=4'-6"
47'-18" RCP
CLASS IV
C.B. OPENING = 10"

(3) REMOVE & REPLACE INTERFERING PORTIONS OF ASPHALT CONCRETE BERM. SEE DETAIL ON SH. 31.

(4) REMOVE & REPLACE INTERFERING PORTIONS OF EX. FENCE.

NOTE: SEE CONNECTOR PIPE PROFILE ON SHEET 29

PLAN

20' 0 20'

℄ PENNSYLVANIA AVENUE

S R/W — VARIES — 21' — 21' — VARIES — N R/W

2 DUCT & 1 BURIED CABLE
W14 IRR
SD 10
W12 IRR
G2 ABND.
G12 HP
14.5' 10.5' 18'
45° RCP
VARIES

SECTION AT STA. 284+50

10' 0 10'

STA. 282+46.26 LINE E
STA. 310+00 LINE F
McKINLEY AVE. (VACATED)
℄ STORM DRAIN
℄ IOWA AVE.
E.C.
P.I. 4
S 89°18'55" E
B.C.
18.00'
24.00'
64.85'
32.09'
48.80'
SURVEY CONTROL LINE
C.P. 11
C.P. 22
97.16'
70.93'
0.19'
C.P. 16
2613.03' S 89°18'55" E

TIE DETAIL
NO SCALE

LINE E

BENCH MARK C.P. 16-ELEV. 984.339
P.K. NAIL FLUSH WITH PAVE. AT INTERSECTION OF CRANFORD AND PENNSYLVANIA.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
C7	Changes As Shown		
R.E.F.	DESCRIPTION	APPR.	DATE

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: AAE
DRAWN BY: CPM
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 282+10 TO STA. 286+30
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 12 OF 64

INDEX 6E

D-319



PROFILE

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.





SECTION AT STA. 288+15

10' 0 10'

NOTE: SEE CONNECTOR PIPE PROFILE ON SHEET 29.

PLAN

20' 0 20'

LINE E

INDEX LE

BENCH MARK C.P.19-ELEV. 990.621
NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 653 FT. EAST OF CRANFORD.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
	No Change		
REF.	DESCRIPTION	APPR.	DATE

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: GAE
DRAWN BY: W.N.
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER-R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 286+30 TO STA. 290+60
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 13 OF 64

D-319







PLAN

20' 0 20'

LINE E

INDEX MAP

BENCH MARK C.P.20-ELEV. 993.584 NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 953 FT. EAST OF CRANFORD.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
	No Change		

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: SOE
DRAWN BY: W.N.
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 290+60 TO STA. 294+70
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 14 OF 64

AS BUILT

D-319



PROFILE

CONNECTOR PIPE PROFILE
STA. 296+63 (N)

5' 0 5'

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.



① C.B. NO. 4
W=13'-3½"
V= 4'-6"
26'-18" RCP
CLASS IV
SEE CONNECTOR PIPE PROFILE ON SHEET 29

② C.B. NO. 4
W=6'-4¾", V=4'-6"
14'-18" RCP
CLASS IV
SEE CONNECTOR PIPE PROFILE ON THIS SHEET.

③ REMOVE & REPLACE INTERFERING PORTIONS OF ASPHALT CONC. BERM. SEE DETAIL ON SH. 31.

④ MANHOLE NO. 4, STA. 296+63
D_1=42", D_2=42"
INLET (N); A=31°, B=18", C=7'-6",
ELEV. "S"=987.00, ELEV. "R"=988.60
INLET (S); A=55°, B=18", C=4'-9"
ELEV. "S"=986.50, ELEV. "R"=987.20

⑤ BUTT GUY TO BE INSTALLED BY OTHERS.

℄ CURVE DATA
Δ= 34°41' 10"
R= 45.0'
T= 14.05'
L= 27.24'
B.C. = 296+04.75
P.R.C. = 296+31.99
Δ= 34°41'43"
R= 45.0'
T= 14.06'
L= 27.25'
E.C. = 296+59.24

PLAN

20' 0 20'



SECTION AT STA. 297+65

10' 0 10'



TIE DETAIL
NO SCALE

LINE E

INDEX MF

BENCH MARK C.P. 22-ELEV. 995.980
BRASS CAP IN WELL MONUMENT DOWN 1.12' AT INTERSECTION OF IOWA AND PENNSYLVANIA

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY: Robert H. Koebig
DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR	DATE
	No Change		

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: MAE
DRAWN BY: GPM
DATE DRAWN: 10-73
CHECKED BY:

APPROVED BY: John V. Bryant
CHIEF ENGINEER R.C.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 294+70 TO STA. 299+00
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 15 OF 64

D-319





PLAN

20' 0 20'

LINE E

INDEX OF

BENCH MARK C.P. 25 ELEV. 1002.449 NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 546 FT. EAST OF IOWA.	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
SCALE:	APPROVED BY:	REF.	DESIGNED BY: A.E.
DATE:	DATE: OCT 14 1974	No Change	DRAWN BY: W.N.
	REGISTERED CIVIL ENGINEER NO. 10776	DESCRIPTION	DATE DRAWN: 10-73
		APPR. DATE	CHECKED BY:
		AS BUILT	APPROVED BY: John W. Bryant, CHIEF ENGINEER R/E. NO. 8822, DATE: 5-11-76

BOX SPRINGS DRAIN

STAGE IV

STA. 299+00 TO STA. 303+20

1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO.	1-0-220
DRAWING NO.	1-327
SHEET NO.	16 OF 64

D-319



HYDRAULIC DATA
Q = 100 cfs
V = 10.40 fps

PROFILE



CONNECTOR PIPE PROFILE
STA. 306+36 (N)
5' 0 5'

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.



① REMOVE INTERFERING PORTIONS OF ABANDONED GAS LINE.

② C.B. NO. 1 MODIFIED
W = 21'
V = 7'
40'-18" R.C.P.
CLASS IV
SEE CATCH BASIN DETAILS ON SHEET 31
C.B. OPENING = 10"

③ C.B. NO. 1
W = 14'-0"
V = 4'-6"
23'-18" R.C.P.
CLASS IV
SEE CONNECTOR PIPE PROFILE ON THIS SHEET
C.B. OPENING = 10"

④ REMOVE INTERFERING PORTIONS OF 10" PIPE AND REPLACE ON NEW GRADE.

5. SEE TIE DETAILS SH. 15.

Ce
10" Pipe replaced across pipe trench

⑥ MANHOLE NO. 4, STA. 306+36
$D_1 = 42"$, $D_2 = 42"$
INLET (N); A = 27°, B = 18", C = 8'-6",
ELEV. "S" = 997.45, ELEV. "R" = 998.50
INLET (S); A = 45°, B = 18", C = 5'-6"
ELEV. "S" = 997.00, ELEV. "R" = 997.30

NOTE: SEE CONNECTOR PIPE PROFILES ON SHEET 29.

PLAN
20' 0 20'



SECTION AT STA. 305+65
10' 0 10'

BENCH MARK C.P. 27-ELEV. 1007.555
NAIL AND TIN ON CENTERLINE OF PENNSYLVANIA 1046 FT. EAST OF IOWA.

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY: Robert H. Williamson
DATE: FEB 13 1974
REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS

REF.	DESCRIPTION	APPR.	DATE
Ce	Changes made as shown	WSM	4-30-74

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: RLB
DRAWN BY: JCD
DATE DRAWN: 10-73
CHECKED BY:
APPROVED BY: Robert Bryant, CHIEF ENGINEER R/E. NO. 8822
DATE: 5-11-74

LINE E

BOX SPRINGS DRAIN
STAGE IV
STA. 303+20 TO STA. 306+92
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 1E

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 17 OF 64

D-319





BENCH MARK C.P.1 - ELEV. 980.862
NAIL & TIN ON CENTERLINE OF CRANFORD 300' NORTH OF PENNSYLVANIA

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10076

REVISIONS				
REF.	DESCRIPTION	APPR.	DATE	
C9	Changes as shown	WOH	11-73	

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: GAE
DRAWN BY: CPM
DATE DRAWN: 11-73
CHECKED BY:

APPROVED BY:

CHIEF ENGINEER R.E. NO. 8822

DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 310+18 TO STA. 314+00
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 6F

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 18 OF 64

AS BUILT

D-319





SECTION AT STA. 314+50

10' 0 10'

20'
10'
10'
20'

PLAN

20' 0 20'

LINE F

BENCH MARK C.P. 2-ELEV. 976.780
SET NAIL ON CENTERLINE OF CRANFORD 600' NORTH OF PENNSYLVANIA

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY: Robert H. Williamsburg
DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APP.	DATE
C10	Changes as shown	WJW	5-11-76

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: AAE
DRAWN BY: cpm
DATE DRAWN: 11-73
CHECKED BY:

APPROVED BY: Arthur K. Berryman
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 314+00 TO STA. 318+60
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 19 OF 64

D-319



NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.

① INLET TYPE IX
V= 4'-0"
~~12'-8"~~ 9'-18" RCP
CLASS IV
REMOVE EXISTING CATCH BASIN AND INTERFERING PORTIONS OF 10" PIPE
SEE CONNECTOR PIPE PROFILE ON THIS SHEET

C11

② JOIN EXISTING 14" PIPE TO PROPOSED DRAIN WITH 7'-18" RCP CLASS IV
~~REMOVE INTERFERING PORTIONS OF 14" PIPE ONLY~~ 12" PIPE TO REMAIN IN SERVICE.
SEE DETAIL ON SHEET 31

12'x14" PIPES

③ INLET TYPE IX
V= 4'-0"
21'-18" RCP
CLASS IV

④ INLET TYPE IX
V= 4'-0"
20'-18" RCP
CLASS IV

⑤ 12SD EXISTING TO REMAIN IN SERVICE.
6. SEE TIE DETAIL SH. 18.



PLAN



SECTION AT STA. 320+50
10' 0 10'

NOTES: SEE GRADING DETAILS FOR TYPE IX INLETS ON SHEET 21
SEE CONNECTOR PIPE PROFILES ON SHEET 30

LINE F

BENCH MARK C.P. 3-ELEV. 974.721
SET NAIL ON CENTERLINE OF CRANFORD 900' NORTH OF PENNSYLVANIA

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: 18 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
C13	Relocated Connector Pipe		
C14	Located 60"RCP S.D.		
C11	Changes As Shown		

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: ℄
DRAWN BY: cpm
DATE DRAWN: 11-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 318+60 TO STA. 322+70
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO 1.0-220
DRAWING NO. 1-327
SHEET NO. 20 OF 64

AS BUILT

D-319

323 324 325 326 327

980 970 960 950

10' DIA. OIL STORAGE TANKS

GRADE ROAD

EXISTING SURFACE OVER ℄ S.D.

E W6 W6 E

MANHOLE NO. 2
STA. 325+80

H.G.L.

18" INLET (E)
324+11

S=0.0015

956.50

958.97

959.14

MATCH LINE
STA. 322+70

MATCH LINE
STA. 327+00

HYDRAULIC DATA
Q=131 cfs
V=5.51 fps

307'-66" RCP, 1400 D

118'-66" RCP, 1600 D

PROFILE

976.06
976.50

STA. 324+11 ℄ 66" R.C.P.
+ STA. 0+00 LATERAL

W6 W6 E E

26'-18" RCP, CL. IV

968.70
0+19 CONC. COLLAR

962.00
ELEV. "S"

CONNECTOR PIPE PROFILE
STA. 324+11

5' 0 5'

NOTE: CONTRACTOR SHALL PROTECT IN PLACE ALL UTILITIES CROSSING OR PARALLELING THE STORM DRAIN, UNLESS OTHERWISE NOTED.

MATCH LINE SHEET 20

STA. 322+81.72

STA. 323+58.65

10' DIA. OIL STORAGE TANKS
LENGTH = 34.25'

① INLET TYPE IX
V=4'
26'-18" RCP
CLASS IV
SEE CONNECTOR PIPE
PROFILE ON THIS SHEET

② GRADE EXISTING DITCH ALL AROUND INLET TO PROVIDE ADEQUATE DRAINAGE.

CALIFORNIA

STATION

MATCH LINE SHEET 22

324+15

T.C.E. WLY. R/W Mc KINLEY AVE. (VACATED) T.C.E.

℄ DITCH

STANDPIPE

GROVE THERMOMETER

E (PROPOSED) EDGE OF ROAD R/W E (PROPOSED)

DIRT

323 324 325 326

EDGE OF ROAD

ROAD

20' ROAD

C.P. 5
324+00.18

M.H. NO. 2
STA. 325+80

R/W R/W

F.L. DITCH

T.C.E.

INLETS

POLE

RELOCATED C14

ELY. R/W Mc KINLEY AVE. (VACATED)

EDGE OF ROAD

STA. 322+70

324+06 ℄ INLET 324+21 324+26

STA. 327+00

③ RELOCATE GROVE THERMOMETER ELECTRICAL LINE FROM STA. 324+08.50 TO STA. 329+08.50 18 FEET WEST OF CONTROL LINE.

4. SEE TIE DETAIL SH. 18.

UNIVERSITY OF CITRUS EXPERIMENT

EXISTING DITCH
4' BOTTOM

4' DITCH

FLOW

4' 3'

C14

4:1 SLOPE

GRADING DETAIL
INLET TYPE IX
NO SCALE

PLAN
20' 0 20'

T.C.E. E. R/W W. R/W T.C.E.
15' 10' 10' 15'

E E
12' 1'

℄ Mc KINLEY AVE.
STREET R/W VACATED

7'

66" RCP

SECTION AT STA. 325+50
10' 0 10'

LINE F

INDEX 6E

BENCH MARK C.P. 5 - ELEV. 978.239
SET NAIL ON CENTERLINE OF CRANFORD 1400' NORTH OF PENNSYVANIA

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
C14	Relocate Inlet Type IX as shown		

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: RAE
DRAWN BY: CMW
DATE DRAWN: 11-73
CHECKED BY:

APPROVED BY:
John W. Bryant
CHIEF ENGINEER B.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 322+70 TO STA. 327+00
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 21 OF 64

D-319





PLAN

20' 0 20'



SECTION AT STA. 328+50

10' 0 10'

LINE F

INDEX 6

BENCH MARK C.P. 8 - ELEV. 982.437 SET NAIL ON CENTERLINE OF CRANFORD 633' SOUTH OF UNIVERSITY	**KOEBIG & KOEBIG, INC.** ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	BOX SPRINGS DRAIN STAGE IV STA. 327+00 TO STA. 331+50 1970 STORM DRAIN BOND ISSUE PROJECT NO. 6
SCALE:	APPROVED BY:	REF. / DESCRIPTION / APPR. / DATE: No Change	DESIGNED BY: AOE	APPROVED BY: John V. Bryant CHIEF ENGINEER R.E. NO. 8822
DATE:	DATE: FEB 14 1974 · REGISTERED CIVIL ENGINEER NO. 10776		DRAWN BY: LPW	DATE: 5-11-76
			DATE DRAWN: 11-73	
			CHECKED BY:	

PROJECT NO. 1.0-220
DRAWING NO. 1-327
SHEET NO. 22 OF 64

AS BUILT

D-319





BENCH MARK C.P. 9 - ELEV. 981.339
TOP OF 3/4" IN I.P. AT EVERTON AND CRANFORD

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
No Change			
REF.	DESCRIPTION	APPR.	DATE

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: JOE
DRAWN BY: cpm
DATE DRAWN: 11-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 331+50 TO STA. 336+00
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 23 OF 64

D-319





℄ CURVE DATA
Δ= 30°10'49"
R= 90'
T= 24.27'
L= 47.41'
B.C. = 337+12.94
E.C. = 337+60.35

(1) C.B. NO. 1
W= 12'
V= 4'
14'-18" RCP
CLASS IV
SEE CONNECTOR PIPE
PROFILE ON THIS SHEET

2. REMOVE & REPLACE INTERFERING PORTIONS OF CONCRETE CURB & GUTTER.

(3) BUTT GUY TO BE INSTALLED BY OTHERS.



SECTION AT STA. 338+80
10' 0 10'



TIE DETAIL
NO SCALE

LINE F

PLAN
20' 0 20'

BENCH MARK C.P. 11-ELEV. 976.769 PK NAIL AT CENTER OF CRANFORD (WEST) AND UNIVERSITY AVE.	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	BOX SPRINGS DRAIN STAGE IV STA. 336+00 TO STA. 340+60 1970 STORM DRAIN BOND ISSUE PROJECT NO. 6
SCALE:	APPROVED BY:	REF.	DESIGNED BY: RDC	APPROVED BY: Robert K. Bryant CHIEF ENGINEER R.E. NO. 8822
DATE:	DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776	No Change DESCRIPTION	DRAWN BY: RPM	DATE: 5-11-76
		APPR. DATE	DATE DRAWN: 11-75	
		AS BUILT	CHECKED BY:	

INDEX 6F

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 24 OF 64

D-319



(1) C.B. NO. 1
W=14'
V=4'-6"
6'-18" RCP
CLASS IV

(2) C.B. NO. 1
W=7'
V=4'
35'-18" RCP
CLASS IV
A'= 36"

(3) C.B. NO. 1
W=21'
V=4'
69'-18" RCP
CLASS IV

(4) C.B. NO. 1
W=14'
V=4'
4'-21" RCP
CLASS IV
L.D. NO. 2, CASE C

(5) TELEPHONE CONDUIT TO BE RELOCATED BY OTHERS.

(6) C.B. NO. 1
W=7'
V=5'-0"
37'-18" RCP
CLASS IV
L.D. NO. 2; CASE C

(7) MANHOLE NO. 4 STA. 343+89.67
A= 85°
B= 21"
C= 3'-3" ELEV. S=965.0
D1= 45° ELEV. R=965.5
D2= 45°

(8) PALM TREES TO BE RELOCATED BY OTHERS.

(9) REMOVE & REPLACE INTERFERING PORTIONS OF SPRINKLER SYSTEM.

(10) REMOVE & REPLACE INTERFERING PORTIONS OF CONCRETE CURB AND GUTTER.

(11) SEE TIE DETAIL SHEET 24.

(12) BUTT GUY TO BE INSTALLED BY OTHERS.

(13) PLACE ASPHALT CONCRETE OVERLAY. SEE SH. 31. FOR DIMENSIONS AND GRADES.



NOTE: SEE SHEET 30 FOR CONNECTOR PIPE PROFILES NOT SHOWN ON THIS SHEET.

PLAN

20' 0 20'



SECTION AT STA. 340+90

10' 0 10'

LINE F

INDEX 6

BENCH MARK C.P. 13-ELEV. 971.617
TOP OF 2" I.P. AT 7TH AND CRANFORD

SCALE:

DATE:

KOEBIG & KOEBIG, INC.
ENGINEERING · ARCHITECTURE · PLANNING
RIVERSIDE, CALIFORNIA

APPROVED BY:

DATE: FEB 14 1974

REGISTERED CIVIL ENGINEER NO. 10776

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
	No Change		

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: RAE
DRAWN BY: RPM
DATE DRAWN: 11-73
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 340+60 TO STA. 343+96
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 25 OF 64

AS BUILT

D-319





BENCH MARK	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
SCALE:	APPROVED BY:	No Change	DESIGNED BY:
DATE:	DATE: FEB 1 1974 REGISTERED CIVIL ENGINEER NO. 10776	REF. DESCRIPTION APPR. DATE	DRAWN BY: CPM DATE DRAWN: 11-73 CHECKED BY: APPROVED BY: Robert K. Bryant CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
STA. 336+73 (LINE F) TO STA. 362+55
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 45

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 26 OF 64

AS BUILT

D-319



STA. 244+04

(SEE SHEET 2 FOR PLAN)



STA. 248+70

(SEE SHEET 4 FOR PLAN)



STA. 249+40

(SEE SHEET 4 FOR PLAN)



STA. 256+66

(SEE SHEET 6 FOR PLAN)



STA. 256+93

(SEE SHEET 6 FOR PLAN)



STA. 257+29

(SEE SHEET 6 FOR PLAN)



STA. 257+29

(SEE SHEET 6 FOR PLAN)

5' 0 5'

BENCH MARK	**KOEBIG & KOEBIG, INC.** ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
SCALE:	APPROVED BY:	REF. / DESCRIPTION / APPR. / DATE: No Change	DESIGNED BY: MAC
DATE:	DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776		DRAWN BY: JCO
			DATE DRAWN: 10-73
			CHECKED BY:
			APPROVED BY: John V. Bugbee CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76

BOX SPRINGS DRAIN

STAGE IV

CONNECTOR PIPE PROFILES

1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220

DRAWING NO. 1-327

SHEET NO. 27 OF 64

INDEX 6

AS BUILT

D-319



STA. 263+80
(SEE SHEET 7 FOR PLAN)



STA. 270+31
(SEE SHEET 9 FOR PLAN)



STA. 270+79
(SEE SHEET 9 FOR PLAN)



STA. 271+09
(SEE SHEET 9 FOR PLAN)

5' 0 5'

BENCH MARK	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
SCALE:	APPROVED BY: _____ REGISTERED CIVIL ENGINEER NO. 10776		DESIGNED BY: JDC / DRAWN BY: JCD / DATE DRAWN: 10-23 / CHECKED BY:
DATE:	DATE: ~~FEB 14 1974~~	REF. No Change DESCRIPTION APPR. DATE	APPROVED BY: John K. Bryant CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
CONNECTOR PIPE PROFILES
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 15
PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 28 OF 64

AS BUILT

D-319



STA. 276+42
(SEE SHEET 10 FOR PLAN)



STA. 283+50
(SEE SHEET 12 FOR PLAN)



STA. 306+88
(SEE SHEET 17 FOR PLAN)



STA. 289+50
(SEE SHEET 13 FOR PLAN)



STA. 296+63 (S)
(SEE SHEET 15 FOR PLAN)



STA. 306+36 (S)
(SEE SHEET 17 FOR PLAN)

5' 0 5'

BENCH MARK	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	BOX SPRINGS DRAIN STAGE IV CONNECTOR PIPE PROFILES 1970 STORM DRAIN BOND ISSUE PROJECT NO. 6	PROJECT NO. 1-0-220
SCALE:	APPROVED BY:	C/S REF. Ex. 10" Pipe Replaced DESCRIPTION	DESIGNED BY: [illegible]		DRAWING NO. 1-327
DATE:	DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776	APPR. DATE	DRAWN: [illegible] DATE DRAWN: 10-73	APPROVED BY: CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76	SHEET NO. 29 OF 64
			CHECKED BY:		

INDEX 4F

AS BUILT

D-319



STA. 316+97

(SEE SHEET 19 FOR PLAN)



STA. 319+61

(SEE SHEET 20 FOR PLAN)



STA. 320+15

(SEE SHEET 20 FOR PLAN)



STA. 321+65

(SEE SHEET 20 FOR PLAN)



STA. 342+32

(SEE SHEET 25 FOR PLAN)



STA. 343+79

(SEE SHEET 25 FOR PLAN)



STA. 361+23

(SEE SHEET 26 FOR PLAN)



STA. 362+47

(SEE SHEET 26 FOR PLAN)

5' 0 5'

BENCH MARK	KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	BOX SPRINGS DRAIN STAGE IV CONNECTOR PIPE PROFILES 1970 STORM DRAIN BOND ISSUE PROJECT NO. 6	PROJECT NO. 1.0-220
SCALE:	APPROVED BY:		DESIGNED BY: LOE		DRAWING NO. 1-327
DATE:	DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776	C16 REF. 3to320+15 Const. Changes DESCRIPTION WWW APPR. DATE	DRAWN BY: JCD DATE DRAWN: 10-73 CHECKED BY:	APPROVED BY: CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76	SHEET NO. 30 OF 64

INDEX 6

AS BUILT

D-319



CATCH BASIN MODIFICATION AT STA. 306+74

(SEE SHEET 17 FOR PLAN)
SCALE: 1/2"=1'-0"

NOTES

1. DETAILS NOT SHOWN SHALL BE PER STANDARD DRAWING NO. CB 100
2. PLACE STEPS IN END WALL OF CATCH BASIN.
3. ELECTRICALLY WELDED STUDS 1/2" X 8" NELSON H4F OR EQUAL MAY BE USED IN LIEU OF THE DEFORMED BAR ANCHORS.





SECTION B-B
SCALE 3/4"=1'-0"



C16
Top of 14" Pipe Broken Out For Overflow

SECTION C-C
SCALE: 3/4"=1'-0"

NOTE: Manhole Frame & Cover with Reducer Shaft Built as shown Instead of 36" C.M.P.-16 Ga. Top of 14" Existing Pipe Cut out for Overflow. Conc. shaped to 18" R.C.P. See Plan sh. 20.

C16



JUNCTION STRUCTURE AT STA. 320+17 PLAN VIEW

(SEE SHEET 20)
SCALE: 3/4"=1'-0"



SECTION D-D
SCALE 3/4"=1'-0"

SEE SPECIAL PROVISIONS FOR APPLICATION OF PAINT BINDER.



DETAIL - ASPHALT CONCRETE OVERLAY

(SEE SHEET 25 FOR PLAN)
10' 0 10'



DETAIL - TRAPEZOIDAL A.C. BERM

NO SCALE

KOEBIG & KOEBIG, INC. ENGINEERING · ARCHITECTURE · PLANNING RIVERSIDE, CALIFORNIA	REVISIONS	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
APPROVED BY: DATE: FEB 14 1974 REGISTERED CIVIL ENGINEER NO. 10776	C16 REF. U.S. at Sta 320+17 Changed DESCRIPTION WSB APPR. DATE	DESIGNED BY: DRAWN BY: DATE DRAWN: CHECKED BY: APPROVED BY: CHIEF ENGINEER R.E. NO. 8822 DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV
MISCELLANEOUS DETAILS
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 31 OF 64

AS BUILT

D-319



LOCATION MAP

0 300' 600' 1200'

GENERAL NOTES

1. THE CONTRACTOR SHALL CONSTRUCT THE STORM DRAIN FACILITY IN PHASES AS SHOWN ON THESE PLANS.
2. THE CONTRACTOR SHALL COMPLETE THE WORK IN ONE PHASE BEFORE COMMENCING THE WORK IN ANY OTHER PHASE, UNLESS OTHERWISE AUTHORIZED BY THE ENGINEER.
3. ACCESS TO PRIVATE PROPERTY SHALL BE MAINTAINED AT ALL TIMES.
4. THE CONTRACTOR SHALL NOTIFY THE RIVERSIDE CITY TRAFFIC ENGINEERING DIVISION (714/787-7366) AT LEAST 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY WORK NEAR A TRAFFIC SIGNAL OR INTERCONNECT.
5. THE REQUIREMENTS SHOWN ON THESE PLANS ARE MINIMUM. THE CONTRACTOR MAY BE REQUIRED TO FURNISH ADDITIONAL TRAFFIC SIGNS OR DEVICES TO PROVIDE FOR PUBLIC SAFETY OR TO FACILITATE THE FLOW OF TRAFFIC IF DEEMED NECESSARY BY THE ENGINEER.
6. WHEN CONDITIONS SO WARRANT (SEE NOTE 5), THE CONTRACTOR SHALL FURNISH FLAGMEN AS REQUIRED BY THE ENGINEER. EACH FLAGMAN SHALL WEAR A RED FLOURESCENT VEST AND SHALL USE A C-28 SIGN (SLOW-STOP). THE CONTRACTOR SHALL FURNISH AND ERECT C-9 SIGNS IN ADVANCE OF FLAGMEN.
7. DELINEATORS SHALL BE USED TO SEPARATE OPPOSING LANES OF TRAFFIC AND ELSEWHERE WHERE SHOWN ON THESE PLANS OR WHERE DIRECTED BY THE ENGINEER. DELINEATORS SHALL BE RUBBER OR PLASTIC, APPROX. 4" DIAMETER AND 42" HIGH, FLOURESCENT ORANGE OR RED. CONES WILL NOT BE PERMITTED. DELINEATORS USED DURING DARKNESS SHALL BE REFLECTORIZED WITH THE REFLECTORS FACING TRAFFIC.
8. ALL BARRICADES WHICH ARE USED DURING THE HOURS OF DARKNESS SHALL BE EQUIPPED WITH FLASHING LIGHTS POSITIONED TO FACE ONCOMING TRAFFIC ON THE EDGE OF THE BARRICADE NEAREST THE TRAFFIC

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
	No Change		

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY:
DRAWN BY:
DATE DRAWN:
CHECKED BY:

APPROVED BY: John W. Bellamy
CHIEF ENGINEER R.E. NO. 8822
DATE: 5-11-76

INDEX UF

BOX SPRINGS DRAIN
STAGE IV
PHASE LOCATION MAP AND NOTES
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

PROJECT NO. 1-0-220
DRAWING NO. 1-327
SHEET NO. 32 OF 64

AS BUILT

D-319

PENNSYLVANIA AVE.

KANSAS AVE

MATCH EX. SURFACE

FLOW

VARIES

PUMP HOUSE

TOE OF SLOPE

HINGE POINT

MATCH EXISTING GROUND

MATCH EX. SURFACE

HINGE POINT

TOE OF SLOPE

MATCH EXISTING SURFACE AT FENCE.

PLAN

40' 0 1 40'

RETENTION BASIN CONTROL POINTS

POINT	COORDINATES	
	NORTH	EAST
A	657, 269.520	I, 664, 540.780
B	657, 273.018	I, 664, 307.385
C	657, 279.438	I, 663, 878.984
D	656,609.011	I, 664,530.450
E	656,618.632	I, 663,868.466

NOTES:

1. FORM 6 INCH DEEP "V" CHANNEL, 3 FEET WIDE FROM FENCE TO EDGE OF ROAD. REMOVE 3 FEET OF ASPHALT CONCRETE BERM.
2. GRADE 3' WIDE SURFACE, 0% CROSS SLOPE, FROM STA. 4+33 TO STA. 6+10, SOUTH SIDE OF RETENTION BASIN.



SECTION (A)

10' 0 10'

REVISIONS			
REF.	DESCRIPTION	APPR.	DATE
C17	Changes as shown		

AS BUILT

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: DTS & RM
DRAWN BY:
DATE DRAWN: 5-12-76
CHECKED BY:

APPROVED BY:
CHIEF ENGINEER R.E./NO. 8822
DATE: 5-11-76

BOX SPRINGS DRAIN
STAGE IV RETENTION BASIN
1970 STORM DRAIN BOND ISSUE PROJECT NO. 6

INDEX 6

PROJECT NO. 1.0-220
DRAWING NO. 1-327
SHEET NO. 31A OF 64

D-319