GENERAL NOTES

1. THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR THE ACCURACY AND ACCEPTABILITY OF THE WORK HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE CITY.
2. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT OF WAY IN ACCORDANCE WITH THE PROVISIONS OF LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES AND AT NO COST TO THE CITY.
3. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE, DEPARTMENT OF PUBLIC WORKS, STANDARD DRAWINGS, AND THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1982 EDITION.
4. TRIM EDGE OF EXISTING PAVEMENT WHERE NEW PAVEMENT JOINS TO A SMOOTH, STRAIGHT LINE. CONSTRUCT MATCH-UP PAVING AS SHOWN ON PLAN AND OVERLAY PAVING AS DIRECTED IN THE FIELD TO PRODUCE A SMOOTH SECTION.
5. CURB AND GUTTER SHALL BE STAKED WITH 3' OFFSETS AT 25' INTERVALS.
6. CURB AND GUTTER SHALL BE STAKED WITH 3' OFFSETS AT 12.5' INTERVALS AND TWO ROWS OF NUMBER 3 RE-BAR SHALL BE PLACED IN GUTTER WHERE GRADE IS LESS THAN 0.40%. PLACE 3/4" DOWEL PINS AT ALL EXPANSION POINTS.
7. SEE "STREET LIGHTING PLANS" FOR QUANTITY AND LOCATION OF REQUIRED STREET LIGHTS.
8. ALL FLAGGED ELEVATIONS SHALL BE STAKED IN THE FIELD BY THE PRIVATE ENGINEER.
9. The contractor shall call in a location request to Underground Service Alert (USA.) Phone No. 1-800-227-2600 two working days before digging. No construction permit issued by the Public Works Dept involving excavation for underground facilities will be valid unless the applicant has been provided an inquiry identification number by U.S.A.
10. All related work shall conform to the City of Riverside, Park & Recreation Dept. Standards.
11. CONTACT THE PARKS PROJECTS INSPECTOR A MINIMUM OF 48 HOURS IN ADVANCE AT 787-7223 TO SCHEDULE INSPECTIONS. INSPECTIONS SHALL BE REQUIRED: A) WHEN PLANT LOCATIONS HAVE BEEN SPOTTED IN THE FIELD PRIOR TO DIGGING PLANT PITS, B) WHILE DIGGING PLANT PITS & PLANTING/RELOCATING TREES, C) AFTER PLANTING & ALL OTHER INDICATED OR SPECIFIED WORK HAS BEEN COMPLETED FOR START OF MAINTENANCE, AND D) AT END OF MAINTENANCE/FINAL ACCEPTANCE. DEVELOPER WILL BE RELEASED FROM MAINTENANCE ONLY UPON RECEIPT OF WRITTEN NOTIFICATION FROM THE CITY THAT THE PARK AND RECREATION DEPT. IS ASSUMING MAINTENANCE RESPONSIBILITIES.
12. THE DEVELOPER SHALL MAINTAIN ALL PLANTING FOR A MINIMUM PERIOD OF (1) YEAR.
13. SEE STREET TREE PLANTING SCHEDULE THIS SHEET AND SHEET 2 OF 2.
14. ELECTRICAL U.G. FACILITIES TO BE INSTALLED BY DEVELOPER AFTER CONSTRUCTION OF CURB AND GUTTER, BUT PRIOR TO PLACEMENT OF X-GUTTERS, SPANDRELS, SIDEWALK AND PAVING.
15. CONSTRUCT DRIVEWAY APPROACHES PER STD. DWG. 302.
16. Final striping for traffic control and/or pavement marking to be the responsibility of the developer.
17. A PUBLIC WORKS DEPARTMENT PERMIT IS REQUIRED PRIOR TO COMMENCEMENT OF TREE RELOCATION AND/OR REMOVAL WORK. FOR ALL TREES WITHIN THE ULTIMATE PAVEMENT AREA, BACKFILL OF ALL HOLES IS TO BE INSPECTED BY THE CITY FOR PROPER COMPACTION.
18. Any traffic control striping obliterated and/or badly worn during construction shall be restored by the Contractor within five days after notification from the City Inspector.
19. Developer to give City Water Division five (5) working days written notice prior to start of construction and to allow City ten (10) working days for completion of work - (787-7611).
20. The Private Engineer preparing these plans shall be responsible for preserving or re-establishing & referencing survey monuments destroyed, disturbed or buried as a result of construction shown hereon.
21. For mailboxes for business, mobilehome parks, or apartment houses, developer to check with the U.S.P.S. for the number and location of mailboxes.

NOTICE TO CONTRACTOR

THE EXISTENCE AND LOCATION OF ANY UNDERGROUND UTILITY PIPES OR STRUCTURES SHOWN ON THESE PLANS ARE OBTAINED BY A SEARCH OF THE AVAILABLE RECORDS. TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO EXISTING UTILITIES EXCEPT AS SHOWN ON THESE PLANS.

THE CONTRACTOR IS REQUIRED TO TAKE DUE PRECAUTIONARY MEASURES TO PROTECT THE UTILITY LINES SHOWN AND ANY OTHER LINES NOT OF RECORD OR NOT SHOWN ON THESE PLANS.




SEE SHEET 2
HEDRICK AVE.
BAYONNE DRIVE
HOLE AVE.
JONES AVE.
TRACT NO. 3792
EX. G.V. (ADJUST TO GRADE by City forces)
EXIST. WATER VAULT (ADJUST TO GRADE by City forces)
0+67.00 ECR
N. 78°54'26" W.
EX. 14" Parking Apron (Abandoned)
EXIST. 4" HOUSE LATERAL (TYP.) Extend to R/W
4" HOUSE LATERAL (TYP.) (Typ.)
PROPOSED SD. SEE GR PLAN D-434
EXIST. 18" SD ℄ R/W D-213
EXIST. 24" RCP
EXIST. 18" RCP
EXIST. 12" RCP
EXIST. 8" RCP
EXIST. 6" RCP
EXIST. 4" RCP
EXIST. 3" RCP
EXIST. 2" RCP
EXIST. 1" RCP
EXIST. 24" RCP
EXIST. 18" RCP
EXIST. 12" RCP
EXIST. 8" RCP
EXIST. 6" RCP
EXIST. 4" RCP
EXIST. 3" RCP
EXIST. 2" RCP
EXIST. 1" RCP
Assessor's Line
Assessor's Parcel No. 213-052-015
Assessor's Parcel No. 213-052-005
Assessor's Parcel No. 213-052-004
Assessor's Parcel No. 213-052-003
Assessor's Parcel No. 213-052-002
Assessor's Parcel No. 213-052-001
Assessor's Parcel No. 213-052-006
Assessor's Parcel No. 213-052-007
Assessor's Parcel No. 213-052-008
Assessor's Parcel No. 213-052-009
Assessor's Parcel No. 213-052-010
Assessor's Parcel No. 213-052-011
Assessor's Parcel No. 213-052-012
Assessor's Parcel No. 213-052-013
Assessor's Parcel No. 213-052-014
Assessor's Parcel No. 213-052-016
Assessor's Parcel No. 213-052-017
Assessor's Parcel No. 213-052-018
Assessor's Parcel No. 213-052-019
Assessor's Parcel No. 213-052-020
Assessor's Parcel No. 213-052-021
Assessor's Parcel No. 213-052-022
Assessor's Parcel No. 213-052-023
Assessor's Parcel No. 213-052-024
Assessor's Parcel No. 213-052-025
Assessor's Parcel No.



HEDRICK AVENUE
HOLE AVENUE
TR. 3792
SEE SHEET 1
ASSESSOR'S LINE # 143-052-001
24+83.46 BCE
01+85.00 ECR
393.00' @ 1.40%
5+60.00
6+50.00 JOIN P.C. DITCH
See ℄ R-3321 (A-1885)
See S-4977
See ℄ R-13317
See S-4977
N11° 05' 34"E 550.00'
N78° 54' 26" W.
8" S.
8" W.
2" G.
Ex. 4"W Water to be removed (Plugged & Capped) by City forces
Ex. 4"W & 8"W Water to be removed by City forces
Note: Vault/Valve to be set by City forces
Ex. 4"W & 8"W Water to be removed by City forces
2.00 END TYPICAL SECTION HEDRICK TERMINATION
2+25.00 JOIN EX. PAVEMENT
25' TRANS TO MEET EX. PVMT.
Ex. 8" V.C.P. (Caution Ex. Sewer) By City forces
0.35% BRSH AC PAVEMENT
Ex. 4" W.L. (Caution Ex. Water) By City forces
Ex. 8" W.L. (Caution Ex. Water) By City forces
Ex. 8" W.L. to be removed (Plugged & Capped) by City forces
Ex. 8" W.L. to be removed by City forces
Ex. 4" W.L. to be removed by City forces
Ex. 8" W.L. to be removed by City forces
Ex. 8" W.L. to be removed by City forces
Ex. 8