MAGNOLIA AVENUE

LA SIERRA AVENUE IMPROVEMENTS

PROFILE SCALES:
HORIZ: 1" = 40'
VERT: 1" = 4'

CONSTRUCTION NOTES

1. ~~CONST. BARRICADE PER CITY OF RIVERSIDE STD. DWG. NO. 100 AS SHOWN AND AT THE END OF ROYAL PALM DR. (T.I.)~~
2. CONST. CROSS GUTTER PER CITY OF RIVERSIDE STD. DWG. NO. 200. (24'-6")
3. RELOCATE EXISTING ROBUSTA PALM TREES.
4. CONST. PROPERTY LINE SIDEWALK PER CITY OF RIVERSIDE STD. DWG. NO. 325
5. CONST. 4½" A.C. OVER 10½" CRUSHED AGGREGATE BASE. PER CITY OF RIVERSIDE STD. DWG. NO. 1018
6. CONST. TYPE III CURB AND GUTTER (6" C.F.) PER CITY OF RIVERSIDE STD. DWG. NO. 200.
7. ~~CONST. CURB SIDEWALK PER CITY OF RIVERSIDE STD. DWG. NO. 325.~~
8. CONST. WHEELCHAIR RAMPS PER CITY OF RIVERSIDE STD. DWG. NO. 304.
9. CONST. TYPE III CURB PER CITY OF RIVERSIDE STD. DWG. NO. 200. MATCH EXIST. C.F. SIZE
10. CONST. TYPE III DRIVEWAY PER CITY OF RIVERSIDE STD. DWG. NO. 302 A=24' B=38'

GENERAL NOTES:

1. It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
2. Construction shall be in accordance with the City of Riverside Department of Public Works, Standard Drawings, and the Standard Specifications for Public Works Construction, 1982 Edition.
3. Trim edge of existing pavement where new pavement joins to a smooth, straight line. Construct match-up paving as shown on plan and overlay paving as directed in the field to produce a smooth section.
4. Construct driveway approaches per Std. Dwg. 302. Exact size and location as shown.
5. Curb and gutter shall be staked with 3' offsets at 25' intervals.

⚠6 5A. DEVELOPER TO GIVE CITY WATER DIVISION FIVE(5) WORKING DAYS WRITTEN NOTICE PRIOR TO START OF CONSTRUCTION AND TO ALLOW CITY TEN (10) WORKING DAYS FOR COMPLETION OF WORK. (714) 787-7611

6. No finished floor elevation shall be less than 4' above the sewer flow line at point of connection without having a proper backwater valve installed in the lateral.
7. Quantities shown are for information only and the City of Riverside is not responsible for their accuracy.
8. All traffic signs shall be installed prior to opening the streets to traffic.
9. Any traffic control striping obliterated and/or badly worn during construction shall be restored by the contractor within five days after notification from the City Inspectors.
10. Final striping for traffic control and/or pavement marking to be the responsibility of the developer.
11. See "Street Lighting Plans" for quantity and location of required street lights.
12. All flagged elevations shall be staked in the field by the private engineer.
13. The contractor shall adjust manholes to final grade
14. The private engineer signing these plans is responsible for assuring the accuracy and acceptability of the work hereon. In the event of discrepancies arising during construction, the private engineer shall be responsible for determing an acceptable solution and revising the plans for approval by the City.
15. The contractor shall call in a location request to Underground Service Alert (USA), Phone No. 1-800-422-4133, two working days before digging. No construction permit issued by the Public Works Department involving excavation for underground facilities will be valid unless the applicant has been provided an inquiry identification number by U.S.A.
16. The private engineer preparing these plans shall be responsible for preserving or re-establishing and referencing survey monuments destroyed, disturbed or buried as a result of construction shown hereon.
17. On all areas within public right of way where the fill is one (1) foot or greater, a letter will be required from the soils engineer, certifying the compaction of the fill below subgrade, prior to issuance of the Construction Permit/Cut Sheets.
18. For mailboxes for business, mobile home parks or apartment houses, developer to check with the U.S.P.S. for the number and location of mailboxes.

GENERAL NOTES - PARKS DEPARTMENT

1. All related work shall conform to the City of Riverside, Park and Recreation Department Standards.
2. Contact the Park Projects Inspector a minimum of 48 hours in advance at 787-7223 to schedule inspections. Inspections shall be required: a) when plant locations have been spotted in the field prior to digging plant pits, b) while digging plant pits and planting/relocating trees, c) after planting and all other indicated or specified work has been completed for start of maintenance, and d) at end of maintenance/final acceptance (contractor/developer will be released from maintenance only upon receipt of written notification from the City that the Park and Recreation Department is assuming maintenance responsibilities).
3. The Contractor/Developer shall maintain all plantings for a minimum period of one (1) year.
4. Street Tree planting shall be as follows:
   Magnolia Avenue: Relocate 2 Washingtonia Robusta palm trees as shown.
5. A Public Works Department permit is required prior to commencement of tree relocation and/or removal work. For all trees within the ultimate pavement area, backfill of all holes is to be inspected by the City for proper compaction.

NOTE:
THE CITY OF RIVERSIDE MAY REQUIRE A CLASS II BIKEWAY ALONG MAGNOLIA AVENUE. CONTRACTOR TO DETERMINE PRIOR TO STRIPING

DRIVEWAY DETAIL ⚠
SCALE: 1" = 20' N.T.S.

CURVE DATA
(A) Δ = 90°00'00" R = 35.00' L = 54.98' T = 35.00'

(B) Δ = 168°41'24" R = 14.50' L = 42.69' T = 146.43'

⚠ ELIMINATE S'ly 4' MONOLITHIC CURB AND GUTTER TO FL & INSTALL W/C RAMP. ADD SWY NW/SE W/C RAMP TO GO.

STREET END CONSTRUCTION
INSTALL NEW CURB, GUTTER & SIDEWALK. MATCH EXIST. CURB, GUTTER & SIDEWALK. REMOVE EXIST. A.C. PAVING AND CURB AND GUTTER AS REQUIRED. INSTALL END SIGN (W 31) AND RED TYPE "K" INSTALL PER CITY OF RIVERSIDE STD. DWG. 666 AND 666. THE ABOVE CONSTRUCTION IS ALSO TYPICAL AT THE END OF ROYAL PALM DRIVE.

VICINITY MAP
NO SCALE

TYPICAL SECTION
NO SCALE (T.I. - 8)

STA 0+81 CONST J.S. No. 4 R.C.R.C.D. STD DWG JS 229 CASE 3 INV. EL. 705.10

EXIST. IMPROVEMENTS PER DRWG. # R-2149

EXIST. IMPROVEMENTS PER PLAN R-1450

EXIST. IMPROVEMENTS PER STREET PLAN # R-2149

EXIST. IMPROVEMENTS PER PLAN R-822

SEE CITY DWG. D-210 FOR STORM DRAIN CONSTRUCTION INFORMATION

EXIST. 12" R.C.P. STORM DRAIN TO BE ABANDONED

EXISTING DRIVEWAY TO REMAIN

EXIST. 8" W.L. TO BE ABANDONED

EXIST. 6" W.L. TO REMAIN

EXIST. 8" W.L. TO REMAIN

EXIST. 8" W.L. TO BE ABANDONED

EXIST. 6" W.L. TO BE ABANDONED

EXIST. 8" W.L. TO BE ABANDONED

EXIST. 8" W.L. TO REMAIN

EXIST. 8" W.L. TO REMAIN

EXIST. 8" W.L. TO REMAIN