

NOTES:

1. ALL RELATED WORK SHALL CONFORM TO THE CITY OF RIVERSIDE, PARK AND RECREATION DEPARTMENT STD'S.
2. CONTACT THE PARK PROJECTS INSPECTOR A MINIMUM OF 48 HOURS IN ADVANCE AT 787-7223 TO SCHEDULE INSPECTIONS. INSPECTIONS SHALL BE REQUIRED: (A) WHEN PLANT LOCATIONS HAVE BEEN SPOTTED IN THE FIELD PRIOR TO DIGGING PLANT PITS; (B) WHILE DIGGING PLANT PITS AND PLANTING/RELOCATING TREES; (C) AFTER PLANTING AND ALL OTHER INDICATED OR SPECIFIED WORK HAS BEEN COMPLETED FOR START OF MAINTENANCE; AND (D) AT END OF MAINTENANCE/FINAL ACCEPTANCE THE DEVELOPER WILL BE RELEASED FROM MAINTENANCE ONLY UPON RECEIPT OF WRITTEN NOTIFICATION FROM THE CITY THAT THE PARK AND RECREATION DEPARTMENT IS ASSUMING MAINTENANCE RESPONSIBILITIES.
3. THE DEVELOPER SHALL MAINTAIN ALL PLANTINGS FOR A MINIMUM PERIOD OF ONE (1) YEAR.
4. A PUBLIC WORKS AND PARK AND RECREATION DEPARTMENT PERMIT IS REQUIRED PRIOR TO COMMENCEMENT OF TREE RELOCATION AND/OR REMOVAL WORK, FOR ALL TREES WITHIN THE ULTIMATE PAVEMENT AREA. BACKFILL OF ALL HOLES IS TO BE INSPECTED BY THE CITY FOR PROPER COMPACTION.
5. STREET TREE PLANTING SHALL BE AS FOLLOWS:

STREET NAME	BOTANICAL NAME / COMMON NAME	MIN. SIZE	SPACING	NO REQ.
HEDRICK AVE.	CUPANIOPSIS ANACARDIOIDES CARROT WOOD	15 GAL	40-45	3
JONES AVE	LAGERSTROEMIA INDICA CRAPE MYRTLE	15 GAL	40-45	4

6. ALL STREET TREES TO BE AUTOMATICALLY IRRIGATED.

TYPICAL SECTION HEDRICK AVENUE

STA. 6+75 to STA. 7+92.12
T1:6
N.T.S.

SEE DRWG. R 2537
R/W
CRWN.
5+62.17 JOIN EX.
BEG. CURVE
5+75.90 ℄ S.W.
5+88.50 ℄ CONST. ℄ PRIVATE DRIVE APPROACH
PROTECT PB ℄
EXIST. FENCE TO BE REMOVED IN AREA OF CONST.
EXIST. SURFACE 35' E'LY OF ℄
6+00 JOIN (08.22')
6+20.00 (08.26')
6+40.00 (08.47')
6+60.00 (08.65')
7+00.00 (08.87')
7+20.00 (09.09')
7+40.00 (09.32')
7+60.00 (09.54')
8+00.00 (09.74')
7+92.12 B.C.
7+52.32 B.C.
END C.& G.
7+52.12 END C.& G.
6+50.00 G.B. 08.64 TC
7+50.00 G.B. 08.44 TC
6+00 JOIN (08.22')
8+00 (09.53') ℄
8+00 JOIN (09.60')
CURB TO GRADE 5" W/ 12" CRUSHER RUN BASE
REMOVE EXIST. CURB & GUTTER
REMOVE EXIST. ASPHALT CONCRETE PAVEMENT
REMOVE EXIST. CONCRETE CROSS GUTTER
REMOVE EXIST. ASPHALT CONCRETE DRIVEWAY
REMOVE EXIST. CONCRETE SIDEWALK
REMOVE EXIST. CONCRETE DRIVEWAY
REMOVE EXIST. CONCRETE CURB
REMOVE EXIST. CONCRETE CURB & GUTTER
REMOVE EXIST. CONCRETE CROSS GUTTER